

(19)



JAPANESE PATENT OFFICE

## PATENT ABSTRACTS OF JAPAN

(11) Publication number: 05179009 A

(43) Date of publication of application: 20.07.1993

(51) Int. Cl. C08J 3/22  
C08L 23/00, C08L 23/20, C08L101/00  
// C08L 23:04

(21) Application number: 03360597

(22) Date of filing: 27.12.1991

(71) Applicant: NIPPON PETROCHEM CO LTD

(72) Inventor: YAGI SHINICHI

### (54) PRODUCTION OF MASTERBATCH FOR MODIFYING THERMOPLASTIC RESIN

#### (57) Abstract:

PURPOSE: To provide a method for enabling the stable production of a masterbatch containing a liquid modifying agent in a thermoplastic resin at a high concentration for a long period as pellets without causing the stickiness by bleeding of the liquid modifying agent.

CONSTITUTION: Kneading of 30-95 pts. wt. granular thermoplastic resin with 35-70vol.% porosity and 5-70 pts. wt. liquid modifying agent is carried out and the resultant kneaded material is then extruded at a temperature within a prescribed temperature range lower than the maximum peak temperature ( $T_m$ ) of the thermoplastic resin measured by a differential scanning calorimetry(DSC). Other thermoplastic resins having the value of the  $T_m$  lower than that of the thermoplastic resin by  $\geq 5^\circ\text{C}$  may be blended and extruded.

COPYRIGHT: (C)1993,JPO&Japio